



smart laminate
starts beautiful. stays beautiful.

TORLYS
smart floors

www.torlys.co.nz

PARK LANE,
WEST COAST DARK OAK
NZPL835814

MK-GE-TL916

TORLYS
smart floors



smart laminate *the one & only.*

PARK LANE, GOLDEN BAY OAK
NZPL839087

- 1 The One & Only
- 2 Elkwood 8 Collection
- 4 Fjord Collection
- 6 Park Lane Collection
- 8 Lexington Collection
- 10 Sugar Hill Collection
- 12 Manhattan Collection
- 14 Protection & Performance
- 15 Peace of Mind Assurance
- 16 Coordinating Accessories
- 17 Frequently Asked Questions



These TORLYS smart laminate floors have earned the North American Laminate Flooring Association (NALFA) Certification Seal by passing a series of rigorous tests designed to evaluate the floor's performance, durability, strength and overall quality. You can be assured that you're getting the best quality the industry has to offer.

These TORLYS smart laminate floors also meet strict FloorScore® indoor air quality standards, making them a healthy choice.*

*Lexington meets California Indoor Air Quality Section 01350, and is FloorScore compliant.

FJORD, AURLANDS OAK
TL-NEUM04

TORLYS smart laminate floors offer beautifully designed planks in wood looks that are virtually indistinguishable from hardwood. These floors offer the utmost in flexibility - providing a transition free installation solution. TORLYS smart laminates can create a statement for any room in your home and can be installed from one room to another with no "speed bumps". Perfectly designed for easy living with exceptionally hardwearing surfaces, smart laminate may very well be the perfect floor for any space.

Created to Fit Your Life

TORLYS offers a variety of distinctive collections, each created to fit your design taste, lifestyle and budget. All on trend in the latest species, colours and dimensions, providing a floor that is easy to care for and will look amazing for decades.

Realize The Right Choice

You will not only find a great floor, you will also discover why it can be the right choice. Our floors are backed by the TORLYS Peace of Mind Assurance Program. For today and tomorrow.

TRANSITION FREE INSTALLATION SYSTEM

TORLYS smart laminate floors offer the one and only Transition Free Installation System up to 50' x 50'!

- Install all TORLYS smart laminates up to 50' x 50' with no transitions or "speed bumps"!*
- No more transitions in doorways or long hallways, create one seamless installation from room to room for a completely flawless look.
- 90%+ of all residential applications can be installed with no transitions when using TORLYS smart laminates.

**Visit TORLYS website for specific installation instructions.*



SMOKED OAK
TL-ELV959

Elkwood 8

● ● ● ● ● DESIGNER

Wide planks with modern finishes, stunning colours and a durable construction.

Elkwood 8 has realistic visuals with a micro bevel to achieve a look that replicates authentic hardwood.

8mm (T) x 190.5mm (W) x 1261mm (L)

- Durable AC4 rated wear layer.
- Wide plank with modern finishes and realistic visuals.
- Micro-bevelled 4-sides.
- Subtle and stunning colour range.
- Transition free installation on floors up to 50' x 50'.

TRANSITION FREE
INSTALLATION SYSTEM



PEBBLE OAK
TL-ELV018



DRIFTWOOD
OAK
TL-ELV017

PEBBLE
OAK
TL-ELV018

WEATHERED
OAK
TL-ELV019

RUSTIC
OAK
TL-ELV254N

FROSTED
OAK
TL-ELV705

HONEY
OAK
TL-ELV957

SMOKED
OAK
TL-ELV959

TOASTED
OAK
TL-ELV969



RUNA MAPLE
TL-NEUM08

Fjord

DESIGNER

Modern and durable by design, Fjord offers a striking on trend collection with authentic hardwood looks.

Contemporary colour palette, bevelled edges and beautiful, realistic looking planks.

8mm (T) x 156mm (W) x 1200mm (L)

- Durable AC4 rated wear layer.
- Subtle textures with bevelled edges create authentic wood looks.
- Micro-bevelled 4-sides.
- Transition free installation on floors up to 50'x 50'.

TRANSITION FREE
INSTALLATION SYSTEM



ASTRID OAK
TL-NEUM06



ASGARD HICKORY
TL-NEUM01



OSLO MAPLE
TL-NEUM02



HALVAR OAK
TL-NEUM03



AURLANDS OAK
TL-NEUM04



NORD OAK
TL-NEUM05



ASTRID OAK
TL-NEUM06



LYNGEN OAK
TL-NEUM07



RUNA MAPLE
TL-NEUM08



EAST COAST LIGHT OAK
NZPL839908

Park Lane



● ● ● ● ● DESIGNER

The Park Lane collection creates a look of classic, time-honoured hardwoods, perfectly capturing their rich texture, beauty and charm.

Classically beautiful floors bring warmth and elegance to any space. Refined hardwood designs for an inviting, timeless appeal.

8mm (T) x 156mm (W) x 1380mm (L)

- Clean lines elegantly accentuate natural wood looks of classic, time-honoured hardwoods.
- Smooth or gently textured, this versatile flooring complements any interior design style or décor.
- Square edges.
- Transition free installation on floors up to 50'x 50'.

TRANSITION FREE
INSTALLATION SYSTEM

*High Shade Variation
**"Waterproof Surface" Warranty when installed with a perimeter seal, see website for full details and installation information



OAMARU BEIGE OAK
NZPL835743

 <p>HAVELOCK OLD OAK* NZPL803121</p>	 <p>FOX GLACIER WENGE NZPL813002</p>	 <p>OAMARU BEIGE OAK NZPL835743</p>	 <p>WEST COAST DARK OAK* NZPL835814</p>
 <p>ALEXANDRA BROWN OAK* NZPL835825</p>	 <p>MILFORD GREY OAK NZPL839066</p>	 <p>GOLDEN BAY OAK NZPL839087</p>	 <p>EAST COAST LIGHT OAK NZPL839908</p>



Lexington

● ● ● ● ● DESIGNER

Lexington takes you a step beyond traditional hardwood looks and into a world of exceptional modern design and elegance. Lexington makes a stunning home décor statement – striking and adventurous.

On trend collection in species such as Walnut and Oak.

8mm (T) x 140mm (W) x 1287mm (L)

- Eye-catching wood styles in wider planks create dynamic spaces.
- Smooth grains or textured surfaces with bevelled edges create a pleasing combination of line and colour.
- Planks, Micro-Bevelled edges – 4 sides.
- Utilizes Uniclic® Joint and TORLYS SmartClic end joint technologies.
- Lexington meets California Indoor Air Quality Section 01350, and is FloorScore® compliant.
- Transition free installation on floors up to 50' x 50'.

TRANSITION FREE
INSTALLATION SYSTEM

*High Shade Variation



CAFÉ WALNUT
TL-21003-MT

CAFÉ WALNUT
TL-21003-MT

 <p>CAFÉ WALNUT TL-21003-MT</p>	 <p>MIDNIGHT OAK TL-21006-M</p>	 <p>BUTTER RUM OAK TL-21007-M</p>	 <p>WHITE ROCK OAK TL-21008-MT</p>	 <p>COBBLESTONE OAK* TL-21009-MT</p>
 <p>BARLEY OAK TL-21010-MT</p>	 <p>AUTUMN WALNUT* TL-21011-M</p>	 <p>SANDY VALLEY OAK TL-21014-M</p>	 <p>ROCKINGHAM OAK TL-21015-M</p>	 <p>HAZELWOOD OAK TL-21016-M</p>



NATURAL WALNUT
TL-NEUC03

Sugar Hill



DESIGNER

Sugar Hill is a beautifully styled floor in thick, wide planks and subtle textures. A design statement for any home.

Sugar Hill is an elegant, subtly textured floor that is 12mm thick and comes in beautifully styled Hickory, Walnut, Maple and Oak.

12mm (T) x 156mm (W) x 1380mm (L)

Century Oak, Clamshell Oak and Misty Hollow Oak measure 1200mm (L)



- Warm, inviting colours, subtle textures, bevelled edges create an exceptionally beautiful floor.
- Subtle texture that creates realistic wood effect.
- Micro-bevelled 4-sides.
- Transition free installation on floors up to 50' x 50'.

TRANSITION FREE
INSTALLATION SYSTEM

*High Shade Variation



CABIN MAPLE
TL-NEUC04





MERBAU
TL-15007



CLOUD GREY OAK
TL-15018

Manhattan

● ● ● ● ELITE

Manhattan combines the rich, appealing look and feel of hardwood with the assurance of durable, hassle-free and consistently beautiful flooring.

Rich, classic designs add a smart yet understated touch in species such as Hickory, Oak and Teak.

8mm (T) x 190mm (W) x 1200mm (L)

- Clean lines and classic wood patterns complement any room.
- Wide planks bring the perfect finishing touch to your décor.
- Naturally textured finish.
- Square edges.
- Available in single, double and 3-strip planks.
- Transition free installation on floors up to 50'x 50'.

TRANSITION FREE
INSTALLATION SYSTEM

SINGLE PLANK		DOUBLE PLANK		3-STRIP					
									
DRIFTWOOD OAK TL-15020	LAVA ROCK OAK TL-15021	TOBACCO OAK TL-15014	BOARDWALK ACACIA TL-15019	RED OAK NATURAL TL-15004	MERBAU TL-15007	HICKORY TL-15008	EARL GREY OAK TL-15012	SOHO TEAK TL-15013	CLOUD GREY OAK TL-15018

Why TORLYS smart laminates?

Protection & Performance

What makes TORLYS smart laminate floors different than other floors?



1 Laminate Layers. Multiple layers compose each laminate plank in order to look and feel like real wood and create greater durability – all at an affordable price.

- A** A top finishing layer to ensure your floor stays beautiful year after year.
- B** Real wood-like textures featuring natural designs.
- C** Patented Uniclic® Joint - The most advanced, gap-resistant joint system available today.
- D** A backing layer provides a moisture barrier and added stability.

2 Smart Technology. Like all TORLYS smart laminate floors, a unique production process ensures an environmentally friendly floor. These floors are made in Europe and North America. Its North American produced laminate floors contain no less than 70% recycled and fast growing softwood from managed forests for this state-of-the-art high density Smart Core.

3 No harmful VOCs. These floors help you create a healthier home as they contain no harmful VOC emissions and exceed California Indoor Air Quality standards, among the most stringent in the world.



TORLYS smart laminates

Peace of Mind Assurance

Performance Warranty

One of a Kind.

TORLYS smart laminates start beautiful and stay beautiful over time. We create inspiring flooring and support your purchase like no other flooring company. Our goal is to create a unique and enjoyable purchase experience. We believe it is the smart thing to do.

Smart Uniclic® Joint Technology

- Constant lower lip pressure creates the tightest joint.
- Tested to withstand extraordinary joint stress—more than 1,000 lbs of pressure per linear yard is needed to pull apart two TORLYS planks.
- Milled to 1/1000 of an inch for the most exacting fit.

Smart Core

- TORLYS ultra-dense, compressed Smart Core resists denting.
- Other floors may dent visibly more than TORLYS.

Most Swell Resistant

- Tested in water for 24 hours, TORLYS smart floors outperform ordinary floors that can swell 20% or more.

Why TORLYS smart laminates?

- A transparent overlay of extremely wear resistant melamine resin and aluminum oxide that is **warranted for up to 35 years.**
- **The Uniclic® Joint** resists ugly gapping. No other joint outperforms Uniclic® Joint. Lexington laminate utilizes Uniclic® Joint and TORLYS SmartClic end joint technologies.



- **The Smart Core** is ultra dense and engineered to be extremely dent resistant.
- **Move It and Re-use It** – every TORLYS smart laminate floor can be disassembled and re-used in another room or home.

Transition Free Installation System

- Only TORLYS smart laminates can be installed up to 50' x 50' with no transitions or "speed bumps"!*
- No more transitions in doorways or long hallways, create one seamless installation from room to room for a completely flawless look.



*Visit TORLYS website for specific installation instructions.

TORLYS Bulldog™ Easy Plank Replacer

"Your Floor's Best Friend"

- The Bulldog allows you to:
- Fix major mishaps quickly and easily.
 - Replace a damaged plank or tile, not your entire floor.

TORLYS dealers can easily replace damaged or dented pieces. No glue. No nails. Contact your TORLYS retailer for details.



Minor Fix-Ups

TORLYS offers touch-up kits for minor scratches.

	Designer ●●●●●	Elite ●●●●●
PERFORMANCE WARRANTY		
Wear Warranty	35 year limited	30 year limited
Laminate Water Warranty	35 year limited	–
Laminate Stain and Fade	35 year limited	30 year limited
Structure	Lifetime	Lifetime
No Gapping	Lifetime	Lifetime
When 30-60% humidity maintained.		
HEALTHY HOME	We follow some of the most stringent standards in the world.	
Indoor Air Quality	TORLYS flooring products meet California Section 01350 requirements.	
50' x 50' Transition-Free Installation	Contact TORLYS for details.	

Finishing Touches

Coordinating Accessories

Mouldings and Trims



TORLYS smart laminate floors require a transition moulding to cover the expansion gap mandatory in floors wider or longer than 50 ft. See installation instructions for complete details.

Incizo 5-in-1 Moulding

A Reducer, T-Moulding, Square Nose and Flush Stair Nosing in ONE profile. Nominal 2150mm (length) x 48mm (width)

- A T-Moulding** – used to adjoin two floors of identical height.
- B Reducer** – used to transition two different floor heights.

- C Square Nose** – used to transition to carpet.
- D Square Nose** – edge moulding used to conceal the expansion gap around the perimeter of the room.
- E Flush Stair Nosing** – stair-edge seamless trim moulding for installation of laminate on staircases. Clicks flush into your laminate floor, thus eliminating the overlap of traditional stair nosing. An Aluminium Sub-Base is required for the Flush Stair Nosing installations. Incizo can also be used for non-flush installations on landings.



TORLYS smartSTEP Moulding

TORLYS laminates offer a unique smartSTEP moulding solution to add the perfect finishing touch to your installation. The smartSTEP is made from an actual full plank of flooring for a perfect colour, texture and dimension match. The laminate smartSTEP also uses the same Uniclic® joint as the matching floor for an easy installation. A specially engineered metal plate can be used in conjunction with the smartSTEP to allow for a floating installation on landings.

This is the world’s first Stair Nosing that can also be installed FLOATING.

Contract TORLYS for details.

Breakthrough Technology. Superior Underlay.

Choosing the correct underlay for your new TORLYS laminate is crucial for the protection of your flooring, your warranty and to enhance the warmth and comfort of your new laminate.

TORLYS Safe and Sound (5-in-1 Foam Underlay)

TORLYS Safe and Sound reduces the sound of steps, eliminates “hollow” sounds and keeps floors quiet. Featuring a built-in vapour barrier and a 3” self-adhesive strip as well as antimicrobial protection to help prevent mold and mildew.

TORLYS Acoustik™ (4-in-1 Foam Underlay)

TORLYS Acoustik has superior impact sound insulation properties (IIC-rated), ideal for highrise installations. TORLYS Acoustik also features a vapour barrier and a 3” self-adhesive strip as well as antimicrobial protection to help prevent mold and mildew.

TORLYS 3-in-1 Foam Underlay

This foam underlay provides cushion and step-sound reduction. It includes a vapour barrier with a 3” self-adhesive strip to ensure your entire floor is protected from sub-floor moisture, and antimicrobial protection to help prevent mold and mildew.

TORLYS CorkPlus™ BLUE Underlay

TORLYS CorkPlus BLUE Underlay is a superior natural insulator with long-lasting performance. This environmentally friendly product offers natural air-cushioning for comfort, sound step absorption and thermal insulation, and contains Microban® antimicrobial protection that helps prevent mold and mildew.

TORLYS XV Foam Underlay

TORLYS XV underlayment is the perfect solution when budget is important. It provides moisture and sound control at an incredible value. Featuring a self-sealing adhesive strip to ensure your floor is protected from moisture.

TORLYS LV-Pro Foam Underlay

TORLYS LV-Pro is a high density underlayment solution, created to help minimize subfloor imperfections. It has a self-sealing moisture barrier with Ultra-Fresh™ antimicrobial technology infused into the underlayment to protect against the growth of mold and mildew.

TORLYS Natural Glow® Eco-Friendly Maintenance Kit

TORLYS recommends Natural Glow® Eco-Friendly Maintenance Kit for easy maintenance. It’s biodegradable, easy on the environment, and makes every TORLYS laminate floor spotless. TORLYS eco-friendly cleaning products are biodegradable (with no VOCs) and fragrance free.



Maintain Humidity in Your Home

TORLYS smart floors are natural products. Use a humidifier or dehumidifier to regulate humidity (30 – 60%) and minimize expansion and contraction. This is required to preserve your floor.

Everything You Need to Know

Frequently Asked Questions



Can I put my laminate floor anywhere in my house?

TORLYS smart laminates are engineered products, well-suited for installation anywhere in your home; below grade, over concrete and even over existing floors. Depending on the application, different underlays will be required. Ask your local TORLYS retailer for more information on different applications and what you may require.

What is the Uniclic® Joint?

The Uniclic® joint is a patented joint guaranteed to resist gapping, warping and cupping. (Some floating floors promote their joint systems, but if it doesn’t say Uniclic®, it’s not the same.) The patented Uniclic® is integral to TORLYS laminates. During installation, it doesn’t require messy glues or chemicals, or nails of any kind. Uniclic® creates a remarkably stable and gap-resistant floor, and because

the click joint process is reversible, the floor can be re-used up to 3 times under warranty.



How do I maintain my laminate floor?

TORLYS smart laminates require the same maintenance as all other TORLYS floors. Simply vacuum or sweep your floors once a week or as needed. To clean your floors, use TORLYS Natural Glow® Eco-Friendly Maintenance Kit once a week or as needed. Clean up any spills with a cloth.

What is the TORLYS Bulldog™ Easy Plank Replacer?

Only TORLYS offers you the Bulldog, a tool that allows you to repair any plank in your floor, even if it’s in the middle of your room,

with no power tools and little dust or noise. Ask your TORLYS retailer for details.

Can I install my laminate floors myself?

TORLYS use the patented Uniclic® joint, a glue and nail-free joint system that ensures a great-looking floor and makes installation easy. All you need is a saw, hammer, installation kit, tape measure, pencil and some time to install your floor. There are also professional installers. Ask your local TORLYS dealer for more details on installation.

How does the Transition Free Installation System work?

The Transition Free Installation System allows you to install all TORLYS smart laminates in a 50’ x 50’ space, with no “speed bumps”. Visit TORLYS website for specific installation instructions.